

Breathable mesh fourchettes for perfect ventilation.


electronic devices. Roll-up palm construction in a single panel up to above the fingers. Lowered soft neoprene wrist closure with Velcro.

PRODUCT DETAILS

Poliestere 36,0% | Poliuretano 26,4% | Nylon 35,1% | Rubber 2,5%

Made In: Indonesia

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070






HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
Ļ	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm






Pre-curved, lightweight and durable kid's offroad glove Off-road use only. Single-panel synthetic leather palm with silicone-print for better grip. Perforated synthetic leather reinforcement on thumb. Soft thermoformed neoprene strap closure with velcro adjustment. Lycra fourchettes for extreme mobility Elastic fabric back with sublimation print Weight: 40gr in size M

PRODUCT DETAILS

Back material: Polyester | Palm Material: Synthetic Leather

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069






HOW TO MEASURE

TAGLIA	CIRCONFERENZA
XS	11,4-12,7 cm
S	12,7-14,0 cm
М	14,0-15,2 cm
L	15,2-16,5 cm
XL	16,5-17,8 cm
2XL	17,8-19,1 cm





The X-FLEX 2.0 glove is the result of combining strength, sensitivity, lightness and ventilation. Thanks to the use of Nanofront TM, the world's finest and strongest yarn, (700 um micron cross-section), it makes the glove extremely lightweight and allows for sensational grip feel. Using a stretch dobby polyester fabric makes the glove highly resistant to abrasion. Small mesh inserts between the fingers and laser holes make the glove extremely ventilated and comfortable. Attention to detail is also highlighted by the custom soft neoprene and Velcro closure, the presence of gel on thumb and soft rubber inserts on back.

Palm made of a single seamless Nanofront panel, with ventilation holes and silicone details Back in highly abrasion-resistant dobby polyester Mesh inserts between the fingers Neoprene closure with strap and velcro Customization in soft rubber on the back and silicone on the palm part Highly durable dobby polyester fabric Nanofront TM Breathable mesh inserts

PRODUCT DETAILS

Shell: | Polyester 55% | Nylon 30% | Neoprene 10% | 5% Polyurethane

PRODUCTS RELATED



SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069






Back of hand: Stretch fabric.

Palm: Single panel in Nanofront ${\rm I\!B}$, outer reinforcement in tear- and abrasion-resistant synthetic leather, 3 mm padding and tear- and abrasion-resistant inner reinforcement.

Glove with extreme precurved and comfortable fit without stitching on the fingertips. Cuff adjustment. Touchscreen gloves.

S 062 | M 064 | L 066 | XL 068 | XXL 069






HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
Ļ	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm






Pre-curved glove lightweight and durable due to stretch fabric back and single panel palm. Glove not certified and dedicated to off road use. Stretch fabric back with sublimation print. Synthetic leather palm made in a single panel. Stretch fabric back with sublimation print. Synthetic leather palm made in a single panel. Stretch fabric back with strap and Velcro adjustment. Weight: 40gr size M

PRODUCT DETAILS

Back material: Polyester | Palm Material: Synthetic Leather

S 062 | M 064 | L 066 | XL 068 | XXL 069





HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm






PRODUCT DETAILS


Back material: Polyester | Palm Material: Synthetic Leather

PRODUCTS RELATED



SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069




GLOVES - SIZE GUIDE

HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm






Enduro fit CERTIFIED GLOVES CE EN 13594:2015 Glove fit extremely precurved and comfortable without stitiching on the fingertips Cuff regulation Rubber reinforcement over the back and fingers Silicon insert under the fingertips for a better grip Touch Screen Printing on index and thumb figers Double reinforcement on bottom palm

PRODUCT DETAILS

COMPONENTS: | 85% POLYESTER | 8% NEOPRENE | 5% POLYURETHANE | 2% SPANDEXMATERIALS: | Back hand: | Stretch fabric, Neoprene Insert, Soft rubber reinforcementPalm: | Single panel in AX Suede Matmarket, double reinforcement on bottom | Outer reinforcement in sinthetic leather, padding 3MM and inner reinforcement resistant to tearing and abrasion



S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
Ļ	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm





Enduro fit CERTIFIED GLOVES EN 13594:2015 Glove with extreme precurved and comfortable fit without stitching on the fingertips


Cuff adjustment Rubber reinforcement over the fingers Silicon insert under the fingertips for a better grip

PRODUCT DETAILS

57% Polyester, 40% Polyurethane, 3% Nylon | Back of hand Stretch fabric | Palm Single panel in Nanofront®, Outer reinforcement in Sinthetic leather, padding 3MM and inner reinforcement resistant to tearing and abrasion. | Lining Waterproof and breathable HIPORA® membrane, fully taped seams




PRODUCTS RELATED



SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069




GLOVES - SIZE GUIDE

HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
Ļ	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm





Enduro fit CERTIFIED GLOVES EN 13594:2015 Glove with extreme precurved and comfortable fit without stitching on the fingertips Cuff adjustment Rubber reinforcement over the fingers Touchscreen gloves

ACE73i)

PRODUCT DETAILS


COMPONENTS: 70% Polyester, 20% Polyurethane, 10% Nylon | MATERIALS: | Back of hand Stretch fabric | Palm Single panel in Nanofront®, outer reinforcement in tear- and abrasion-resistant synthetic leather, 3 mm padding and tear- and abrasion-resistant inner reinforcement

Made In: China

PRODUCTS RELATED



S 062 | M 064 | L 066 | XL 068 | XXL 069






HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
Ļ	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm





Enduro fit CERTIFIED GLOVES CE EN 13594:2015 Glove fit extremely precurved and comfortable without stitiching on the fingertips Cuff regulation Rubber reinforcement over the fingers Touchscreen Gloves




PRODUCT DETAILS

COMPONENTS: | 80% POLYESTER | 10% POLYURETHANE | 10% NYLON | MATERIALS: | Back hand: | Stretch fabric, , Soft rubber reinforcementPalm: | Single panel in Nanofront | Outer reinforcement sinthetic leather, padding 3MM and inner reinforcement resistant to tearing and abrasion

Made In: China

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069




GLOVES - SIZE GUIDE

HOW TO MEASURE

TAGLIA	CIRCONFERENZA
XS	11,4-12,7 cm
S	12,7-14,0 cm
м	14,0-15,2 cm
L	15,2-16,5 cm
XL	16,5-17,8 cm
2XL	17,8-19,1 cm






Made using a thin material to offer complete protection of the palm of the hand Perfect for protecting against blisters and for absorbing vibrations from the handlebars

PRODUCT DETAILS

60% Polyester; 40% Neoprene





S/M 063 | L/XL 067