

ARTIGLIO WATERPROOF BOOTS 0026463







0026463.090

FEATURES

Protective, wrap-around boot that boasts an extremely lightweight, waterproof inner membrane designed to keep feet dry in all conditions.

Cut- and abrasion-resistant upper

Heel protection made of elastomeric material for improved comfort and shock absorption

TPU inserts with differentiated structure in the tibial, ankle and gearbox area for maximum protection

Closure by 4 hooks with buckles for micrometric adjustment Heat protection in suede material

Soft microfiber tibial gussets resistant to cut and abrasion.

Soft and snug TPU tibial gaiter, resistant to cuts, caused by contact with footpads.

Dual-density non-slip sole with large open inserts that provides traction and prevents mud from accumulating . Anti-abrasion clawed outsole provides unprecedented grip , giving protection and high performance. Full coverage on the toe increases rider protection without hindering movement ONEWAY unidirectional upper Velcro closure, which allows the gaiter to fit perfectly on the leg, simply by closing the upper lever.

Interior made of 3d Mesh for excellent comfort and sweat absorption EN 13634: 2017 CERTIFICATION

Weight: 2,8 Kg

PRODUCT DETAILS

TPU 61% | Microfiber 23% | TPR 7% | Rubber 9%

Made In: China

NEW PRODUCTS / NEW PRODUCTS ARTIGLIO WATERPROOF BOOTS



PRODUCTS RELATED



0025921 SET STRAPS BOOTS ARTIGLIO

030

090

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE EURO 22,5 2.5 34 22,8 3 34,5 2 23,2 3.5 35 2.5 4 36 3 23,8 4.5 36,5 3.5 24,1 24,5 5 37 4 25,2 5.5 38 4.5 25,4 6 38,5 5 6.5 5.5 25,8 39 39,5 26,1 7 6 26,5 7.5 40 6.5 41 27,2 8.5 41,5 7.5 27,4 27,8 9 42 8 28,5 9.5 43 8.5 28,8 10 43,5 9 10.5 44 9.5 29,1 29,4 11 44,5 10 29,8 11.5 10.5 45 46 30,5 12 11 12.5 46,5 11.5 30,8 47 31,1 13 12 31,8 13.5 48 12.5 32,1 14 48,5 13 32,4 14.5 49 13.5 32,6 15 50 14



ARTIGLIO BOOTS







0030006.455



0030006.090



0030006.209



0030006.245

FEATURES

Protective and enveloping boot which boasts extreme lightness. Upper resistant to cutting and abrasion.

Heel protection made of elastomeric material for better comfort and shock absorption.

TPU inserts with differentiated structure in the tibial area, of the ankle and gearbox for maximum protection.

Closure by 4 hooks with buckles for micrometric adjustment.

Heat protection in suede material.

Soft microfiber tibial bellows, cut and abrasion resistant.

Tibial gaiter in soft and enveloping TPU, cut resistant, caused by contact with the footrest.

Non-slip dual density outsole, with large open inserts that ensures traction and prevents mud from accumulating.

The anti-abrasion clawed sole offers an unprecedented grip, giving protection and high performance.

Full coverage at the tip increases rider protection without hindering rider movement

ONEWAY top velcro closure, which allows the gaiter to fit perfectly to the leg by simply closing the top lever.

Interior made of 3d Mesh for excellent comfort and sweat absorption EN 13634 CERTIFICATION: 2017

Fastens with 4 buckles

A logo on shin guard and heel guard, Acerbis logo on the back.

PRODUCT DETAILS

29% TPU | 51% Microfiber | 15& TPR | 37% Rubber

Made In: China

FOOTWEAR / OFF ROAD FOOTWEAR ARTIGLIO BOOTS



PRODUCTS RELATED



0025921 SET STRAPS BOOTS ARTIGLIO

030

090

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE 22,5 2.5 34 22,8 3 34,5 2 23,2 3.5 35 2.5 23,8 4 36 3 4.5 36,5 3.5 24,1 24,5 5 37 4 25,2 5.5 38 4.5 25,4 6 38,5 5 6.5 5.5 25,8 39 39,5 26,1 7 6 26,5 7.5 40 6.5 41 27,2 8.5 41,5 7.5 27,4 27,8 9 42 8 28,5 9.5 43 8.5 28,8 10 43,5 9 10.5 44 9.5 29,1 29,4 11 44,5 10 29,8 11.5 10.5 45 46 30,5 12 11 12.5 46,5 11.5 30,8 47 31,1 13 12 31,8 13.5 48 12.5 32,1 14 48,5 13 32,4 14.5 49 13.5 32,6 15 50 14

NEW PRODUCTS / NEW PRODUCTS WHOOPS BOOTS



WHOOPS BOOTS 0025890







0025890.030



0025890.209



0025890.315



0025890.315



0025890.290

FEATURES

Boot lightweight, protective, anatomical, designed to have maximum sensitivity in driving.

Hinge at the ankle area between medial protection and calf cuff, which ensures rotational flexibility of the foot and axial control of the leg.

Acerbis sole dedicated anti-wear, antishock, oil and petrol resistant: "Double Composite" that ensures extraordinary control in contact with the footrest.

Tibial protection through anatomically shaped and reinforced shin guards.

Structured heel protection to absorb any impact.

Medial protection and extended tip inside and outside, made with appropriately ribbed plastics, for better shock absorption.

Differentiated texture in the shifting area for maximum control in the gear shift phase.

Grip Burn Guard in vulcanized rubber, resistant to exhaust heat and wear.

Closing by 4 large aluminium levers.

Tibial gaiter in soft and enveloping TPU, cut resistant, caused by contact with the footrest.

Leather and microfiber upper cut and abrasion resistant.

ONEWAY top velcro closure, which allows the gaiter to fit perfectly to the leg by simply closing the top lever.

Orthotics shock absorbing pre-shaped

Interior made of 3D Mesh for excellent comfort and ventilation

Foam protection around the ankles

CERTIFICATION EN 13634:2017

Weight: 3,65 Kg pair

NEW PRODUCTS / NEW PRODUCTS WHOOPS BOOTS



PRODUCT DETAILS

TPU 45% | Synthetic leather 12% | Real leather 32% | TPR 1% | Rubber 10%

Made In: China



NEW PRODUCTS / NEW PRODUCTS WHOOPS BOOTS



SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



<u>}</u>		BOOTS - SIZE GUIDE				
-	СМ	US	EURO	UK		
<u> </u>	22,5	2.5	34	1.5		
	22,8	3	34,5	2		
L	23,2	3.5	35	2.5		
<u>_</u>	23,8	4	36	3		
L	24,1	4.5	36,5	3.5		
	24,5	5	37	4		
	25,2	5.5	38	4.5		
	25,4	6	38,5	5		
	25,8	6.5	39	5.5		
	26,1	7	39,5	6		
	26,5	7.5	40	6.5		
	27,2	8	41	7		
	27,4	8.5	41,5	7.5		
	27,8	9	42	8		
	28,5	9.5	43	8.5		
	28,8	10	43,5	9		
	29,1	10.5	44	9.5		
	29,4	11	44,5	10		
	29,8	11.5	45	10.5		
1	30,5	12	46	11		
	30,8	12.5	46,5	11.5		
	31,1	13	47	12		
	31,8	13.5	48	12.5		
	32,1	14	48,5	13		
	32,4	14.5	49	13.5		
	32,6	15	50	14		



X-ROCK MM TWO BOOTS 0025404







0025404.349



0025404.249



0025404.090



0025404.402

FEATURES

Leather and microfiber upper resistant to cut and abrasion Articulation in the ankle area

Shin protection via anatomically contoured lower and upper shin guards

Contoured heel protection to facilitate gear shifting at the start Medial and toe protection made of appropriately ribbed plastics for better shock absorption

Differentiated density TPU insert in the shift area for maximum control

Grip Burn Guard made of heat- and wear-resistant vulcanized rubber Closure by 4 buckles with new, wide aluminum levers

Breathable microfiber tibial gaiter

Antibacterial shock absorbing footbed in multilayer structure Interior made of 3d Mesh for excellent comfort and sweat absorption Insole made of composite plastic/steel material to ensure greater rigidity and absorption on the foot of shocks of a compressive nature Dedicated Acerbis anti-wear, anti-shock, oil and gasoline resistant outsole: "Double Composite" that ensures extraordinary control in contact with the footpads

Steel toe cap

EN 13634: 2017 CERTIFICATION

Weight: 4,6 kg


PRODUCT DETAILS

12% Action leather | 10% Real leather | 28% TPU | 15% Synthetic leather | 15% Mesh | 20% Polyester

Made In: Myanmar



PRODUCTS RELATED



SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



СМ	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14











0024359.070



0024359.290



0024359.090



0024359.207



0024359.249



0024359.347

FEATURES

Lightweight, protective, anatomical boot

Cut and abrasion -resistant leather and microfibre upper

Hinge in the ankle area between the protection of midfoot and calf cuff ensuring rotational flexibility of the foot and axial leg control Protection of the shin bone with anatomically-shaped and reinforced shin guards

Shaped heel guard to speed up gear shifting when starting Midfoot protection and extended toe cap on the inside and outside made of plastic with ribbing for improved impact absorption. Differentiated texture in the gear shifting area for maximum control during gear changes

Grip Burn Guard in heat and wear resistant suede leather

Fastens with 4 large aluminium levers Soft and enveloping microfibre shin gaiter

Unidirectional upper Velcro fastener allowing a perfect fit of the gaiter to the leg, by simply closing the upper lever

Exclusive Acerbis shock proof sole, resistant to oils, gasoline and wear: "Double Composite" ensuring extraordinary control when in contact with the footrests

Wider sole surface area for increased grip on the footrests Antibacterial shock absorbing pre-shape insole

Inner material in 3d Mesh for excellent comfort and ventilation Foam padding around the ankles

Reinforced steel toe

CERTIFICATION EN 13634:2017


FOOTWEAR / OFF ROAD FOOTWEAR X-RACE BOOTS



PRODUCT DETAILS

ACTION LEATHER 41% | COW SUEDE 10% | TPU 34% | FABRIC 15%

Made In: China



FOOTWEAR / OFF ROAD FOOTWEAR X-RACE BOOTS



SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE 22,5 2.5 34,5 22,8 3.5 23,2 2.5 23,8 24,1 4.5 36,5 3.5 24,5 37 25,2 5.5 38 4.5 25,4 6 38,5 25,8 6.5 39 5.5 26,1 39,5 26,5 7.5 6.5 40 27,2 41 8 8.5 41,5 7.5 27,4 27,8 9 42 8 9.5 8.5 28,5 43 10 43,5 28,8 9 10.5 9.5 29,1 44 29,4 11 44,5 10 29,8 11.5 45 10.5 30,5 12 46 11 30,8 12.5 46,5 11.5 31,1 13 47 12 31,8 13.5 48 12.5 32,1 14 48,5 13 14.5 13.5 32,4 49 32,6 50 15 14



E-TEAM BOOTS 0024551







0024551.090



0024551.287

FEATURES

Protective form-fitting boot that offers extreme lightness Upper resistant to cutting and abrasion

Heel protection made of elastomeric material for greater comfort and shock absorption

Differentiated structure TPU inserts in the tibia, ankle and gear-changing areas for maximum protection

4-clasp closure with buckles for micrometric adjustment and Velcro on the gaiter

Suede material heat protection

Gaiter and tibial folds in soft microfiber which is resistant to cutting and abrasion.

Exclusive Acerbis shock proof sole, resistant to oils, gasoline and wear: "Double Composite" ensuring extraordinary control when in contact with the footrests

Inner material in 3d Mesh for excellent comfort and perspiration absorption

CERTIFICATION EN 13634 2017


PRODUCT DETAILS

MICRO FABRIC 30,00% | TPU 15,00% | TPR 3,00% | POLYURETHANE 21,00% | AIR MESH 18,00% | JERSEY 7,00% | BK MESH 3,00% | RUBBER 3,00%

Made In: China

FOOTWEAR / OFF ROAD FOOTWEAR E-TEAM BOOTS





FOOTWEAR / OFF ROAD FOOTWEAR E-TEAM BOOTS



SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



BOOTS - SIZE GUIDE

CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

FOOTWEAR / OFF ROAD FOOTWEAR X-TEAM BOOTS



X-TEAM BOOTS 0022999







0022999.249



0022999.237



0022999.209



0022999.349



0022999.090



0022999.326



0022999.245



0022999.290



0022999.315



0022999.319



0022999.799

FEATURES

Protective boots that are extremely lightweight.

Cut and abrasion-resistant uppers.

Heel protection in elastomeric material for improved comfort and shock absorption.

Differentiated structure TPU inserts in the area of the tibia, ankle and gear-change for maximum protection.

4-clasp fastening with buckles for micrometric adjustment and Velcro on the gaiter.

Heat protection in suede.

Gaiter and tibial folds in soft cut and abrasion-proof microfiber. Highly abrasion-resistant dual-density rubber sole.

Interior made of 3D Mesh for improved comfort and sweat absorption.

CERTIFICATION EN 13634: 2015 - fully exceeds the 3 homologation levels (LEVEL 2).


FOOTWEAR / OFF ROAD FOOTWEAR X-TEAM BOOTS



PRODUCT DETAILS

MICRO FABRIC 30,00% | TPU 15,00% | TPR 3,00% | POLYURETHANE 21,00% | AIR MESH 18,00% | JERSEY 7,00% | BK MESH 3,00% | RUBBER 3,00%

Made In: China



FOOTWEAR / OFF ROAD FOOTWEAR X-TEAM BOOTS



SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE 22,5 2.5 34,5 22,8 3.5 23,2 2.5 23,8 24,1 4.5 36,5 3.5 24,5 37 25,2 5.5 38 4.5 25,4 6 38,5 25,8 6.5 39 5.5 26,1 39,5 26,5 7.5 6.5 40 27,2 41 8 8.5 41,5 7.5 27,4 27,8 9 42 8 9.5 8.5 28,5 43 10 43,5 28,8 9 10.5 9.5 29,1 44 29,4 11 44,5 10 29,8 11.5 45 10.5 30,5 12 46 11 30,8 12.5 46,5 11.5 31,1 13 47 12 31,8 13.5 48 12.5 32,1 14 48,5 13 14.5 13.5 32,4 49 32,6 50 15 14











0024249.207



0024249.203



0024249.245



0024249.090



0024249.249



0024249.319

FEATURES

Protective boots that are extremely lightweight Cut and abrasion-resistant uppers

Heel protection in elastomeric material for improved comfort and shock absorption

Differentiated structure TPU inserts in the area of the tibia, ankle and gear-change for maximum protection 3-clasp fastening with buckles for micrometric adjustment and

Velcro on the gaiter

Heat protection in suede

Gaiter and tibial folds in soft cut and abrasion-proof microfiber Highly abrasion-resistant dual-density rubber sole

Interior made of 3D Mesh for improved comfort and sweat absorption

CERTIFICATION EN 13634: 2017 - fully exceeds the 3 homologation levels (LEVEL 2)

FOOTWEAR / OFF ROAD FOOTWEAR X-TEAM JR BOOTS



PRODUCT DETAILS

Micro Fabric 30% | Tpu 15% | Tpr 3% | Polyurethane 21% | Air Mesh 18% | Jersey 7% | Bk Mesh 3% | Rubber 3%

Made In: China

PRODUCTS RELATED



0024538 SET STRAPS X-TEAM KID

090

SIZES

T.33 033 | T.34 034 | T.35 035 | T.36 036 | T.37 037 | T.38 038 | T.39 039



X-STRADHU BOOTS 0024316







0024316.090

FEATURES

Touring or road/dualroad leather boot

New rubber sole design with specific grip areas, oil and petrol resistant. Characterised by a special compound providing extra stability and grip on all types of terrain


2 plastic hooks with micro metrically adjustable straps and adjustable top velcro fastener

Abrasion-resistant heat protection Injection moulded pre-bent shin bone protection Plastic lever guards Waterproof and breathable inner membrane Ankle, toe cap and heel protection Reflective inserts on the back of the boot Anatomical and removable insole CERTIFICATION EN 13634:2017

PRODUCT DETAILS

LEATHER 57 % | POLYURETHANE 17% | MICROFIBER 17% | TPU 9%

Made In: China



FOOTWEAR / OFF ROAD FOOTWEAR X-STRADHU BOOTS



SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE 22,5 2.5 34,5 22,8 3.5 23,2 2.5 23,8 24,1 4.5 36,5 3.5 24,5 37 25,2 5.5 38 4.5 25,4 6 38,5 25,8 6.5 39 5.5 26,1 39,5 26,5 7.5 6.5 40 27,2 41 8 8.5 41,5 7.5 27,4 27,8 9 42 8 9.5 8.5 43 28,5 10 43,5 28,8 9 10.5 9.5 29,1 44 29,4 11 44,5 10 29,8 11.5 45 10.5 30,5 12 46 11 30,8 12.5 46,5 11.5 31,1 13 47 12 31,8 13.5 48 12.5 32,1 14 48,5 13 14.5 13.5 32,4 49 32,6 50 15 14